

**Influenza H5N1 (A/Hong kong/213/2003)
Hemagglutinin / HA Antibody, Rabbit PAb,
Antigen Affinity Purified**

Catalog Number: 11713-T62



Sino Biological
Biological Solution Specialist

GENERAL INFORMATION	
Immunogen:	Recombinant Influenza H5N1 (A/Hong kong/213/2003) Hemagglutinin / HA Protein (Catalog#11713-V08H)
Preparation	Produced in rabbits immunized with purified, recombinant Influenza H5N1 (A/Hong kong/213/2003) Hemagglutinin / HA (Catalog#11713-V08H; ABP51975.1; Met1-Gln531,28Ser/Trp). Influenza H5N1 (A/Hong kong/213/2003) Hemagglutinin / HA specific IgG was purified by Influenza H5N1 (A/Hong kong/213/2003) Hemagglutinin / HA affinity chromatography.
Ig Type:	Rabbit IgG
Specificity:	Influenza H5N1 (A/Hong kong/213/2003) Hemagglutinin / HA
Formulation:	0.2 µm filtered solution in PBS
Storage:	This antibody can be stored at 2°C-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C. Preservative-Free. Avoid repeated freeze-thaw cycles.
Alternative Names:	Hemagglutinin,HA
APPLICATIONS	
Applications:	WB,ELISA
	IHC, FCM, IF, IP et al. applications haven't been validated. (Antibody's applications haven't been validated with corresponding virus positive samples. Optimal concentrations/dilutions should be determined by the end user.)
RECOMMENDED CONCENTRATION	
Western Blot	WB: 1:1000-1:5000
ELISA	ELISA: 1:5000-1:10000 This antibody can be used at 1:5000-1:10000 with the appropriate secondary reagents to detect Influenza H5N1 (A/Hong kong/213/2003) Hemagglutinin / HA.

Please Note: Optimal concentrations/dilutions should be determined by the end user.

**Influenza H5N1 (A/Hong kong/213/2003)
Hemagglutinin / HA Antibody, Rabbit PAb,
Antigen Affinity Purified**
Catalog Number: 11713-T62



Sino Biological
Biological Solution Specialist



Anti-Influenza A H5N1 (A/Hong kong/213/2003)
Hemagglutinin / HA rabbit polyclonal antibody
at 1:1000 dilution.
Sample: Influenza A H5N1 (A/Hong
kong/213/2003) Hemagglutinin / HA
Recombinant Protein
Lane A: 50ng
Lane B: 10ng

Secondary
Goat Anti- Rabbit IgG H&L (Dylight 800) at
1/10000 dilution.

Developed using the Odyssey technique.
Performed under reducing conditions.