

**Influenza A H3N2 (A/Wyoming/03/2003)
Hemagglutinin / HA Antibody, Rabbit PAb,
Antigen Affinity Purified**

Catalog Number: 11715-T54



Sino Biological
Biological Solution Specialist


| GENERAL INFORMATION | |
|---------------------------|--|
| Immunogen: | Recombinant Influenza A H3N2 (A/Wyoming/03/2003) Hemagglutinin / HA Protein (Catalog#11715-V08H) |
| Preparation | Produced in rabbits immunized with purified, recombinant Influenza A H3N2 (A/Wyoming/03/2003) Hemagglutinin / HA (Catalog#11715-V08H; ABX10525.1; Met1-Trp530). Influenza A H3N2 (A/Wyoming/03/2003) Hemagglutinin / HA specific IgG was purified by Influenza A H3N2 (A/Wyoming/03/2003) Hemagglutinin / HA affinity chromatography. |
| Ig Type: | Rabbit IgG |
| Specificity: | Influenza A H3N2 (A/Wyoming/03/2003) Hemagglutinin / HA |
| Formulation: | 0.2 µm filtered solution in PBS |
| Storage: | This antibody can be stored at 2°C-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C. Preservative-Free. Avoid repeated freeze-thaw cycles. |
| Alternative Names: | Hemagglutinin,HA |
| APPLICATIONS | |
| Applications: | WB,ELISA |
| | IHC, FCM, IF, IP et al. applications haven't been validated. (Antibody's applications haven't been validated with corresponding virus positive samples. Optimal concentrations/dilutions should be determined by the end user.) |
| RECOMMENDED CONCENTRATION | |
| Western Blot | WB: 1:1000-1:5000 |
| ELISA | ELISA: 1:5000-1:10000 This antibody can be used at 1:5000-1:10000 with the appropriate secondary reagents to detect Influenza A H3N2 (A/Wyoming/03/2003) Hemagglutinin / HA. |

Please Note: Optimal concentrations/dilutions should be determined by the end user.

**Influenza A H3N2 (A/Wyoming/03/2003)
Hemagglutinin / HA Antibody, Rabbit PAb,
Antigen Affinity Purified**
Catalog Number: 11715-T54



Sino Biological
Biological Solution Specialist



Anti-Influenza A H3N2 (A/Wyoming/03/2003)
Hemagglutinin / HA polyclonal antibody at
1:1000 dilution.
Sample: Influenza A H3N2 (A/Perth/16/2009)
Hemagglutinin Recombinant Protein
Lane A: 50ng
Lane B: 10ng

Secondary
Goat Anti- Rabbit IgG H&L (Dylight 800) at
1/10000 dilution.

Developed using the Odyssey technique.
Performed under reducing conditions.