

SARS-CoV-2 (2019-nCoV) Spike Neutralizing Antibody, Rabbit MAb



Sino Biological
Biological Solution Specialist

Catalog Number: 40592-R001

GENERAL INFORMATION	
Immunogen:	Recombinant SARS-CoV-2 (2019-nCoV) Spike RBD-mFc Protein (Catalog#40592-V05H)
Preparation	This product is a recombinant monoclonal antibody expressed from HEK293 cells.
Ig Type:	Rabbit IgG
Clone ID:	001
Specificity (ELISA)	SARS-CoV-2 (2019-nCoV) Spike RBD Protein Has cross-reactivity in ELISA with SARS-CoV-2 (2019-nCoV) Spike S1 Protein (Catalog#40591-V08B1) No cross-reactivity in ELISA with SARS-CoV Spike S1 Protein (Cat# 40150-V08B1) MERS-CoV Spike S1 Protein (Cat# 40069-V08B1) HCoV-HKU1 (isolate N1) Spike S1 Protein (Cat# 40021-V08H) HCoV-HKU1 (isolate N5) Spike S1 Protein (Cat# 40602-V08H) HCoV-NL63 Spike S1 Protein (Cat# 40600-V08H) HCoV-229E Spike S1 Protein (Cat# 40601-V08H) HCoV-OC43 Spike S1+S2 ECD Protein (Cat# 40607-V08B)
Concentration	> 1 mg/mL
Purity	> 95 % as determined by SDS-PAGE. > 95 % as determined by SEC-HPLC.
Endotoxin	< 3 EU/mg
Formulation:	0.22 µm filtered solution in Histidine and Arginine buffer containing 120mM NaCl, 0.02% Tween 80
Storage:	This antibody can be stored at 2°C-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C. Preservative-Free.
APPLICATIONS	
Applications:	ELISA,FCM,Neutralization (Antibody's applications have not been validated with corresponding viruses. Optimal concentrations/dilutions should be determined by the end user.)
RECOMMENDED CONCENTRATION	
ELISA	ELISA: 0.1-0.2 µg/mL
FCM	FCM: 10-40 µg/ml


Please Note: Optimal concentrations/dilutions should be determined by the end user.

SARS-CoV-2 (2019-nCoV) Spike Neutralizing Antibody, Rabbit MAb



Sino Biological
Biological Solution Specialist


Catalog Number: 40592-R001




Serial dilutions of Anti-SARS-CoV-2 Neutralizing Antibody (Catalog# 40592-R001) was detected by SARS-CoV-2 (2019-nCoV) Inhibitor Screening ELISA Kit (Catalog# KIT001). The IC₅₀ is typically 0.5-5 nM.

Conc. (µg/mL)	Inhibition%
100	99.56%
4	99.9%
0.16	59.29%
0.032	5.59%

The neutralization activity is Measured by microneutralization assay in vitro. The virus microneutralization (MN) test was performed on 293T-ACE2 cells infected with SARS-CoV-2 (2019-nCoV) Spike Pseudovirus under treatment of serial dilutions of neutralizing antibody. The infection was neutralized by increasing concentrations of Anti-SARS-CoV-2 Neutralizing Antibody (Catalog# 40592-R001). Rate of inhibition was determined by comparing the Relative Light Unit (RLU) of Luciferase reporter in different antibody concentrations. The IC₅₀ is typically 0.11 µg/mL.



Loaded SARS-CoV-2 (2019-nCoV) Spike RBD-His Recombinant Protein, Biotinylated (Cat.No.40592-V08B-B) on SA Biosensor, can bind SARS-CoV-2 (2019-nCoV) Spike Neutralizing Antibody, Rabbit MAb (Cat.No. 40592-R001) with an affinity constant of 0.006 nM as determined by Octet RED System.



Flow cytometric analysis of SARS-COV-2 Spike overexpressed HEK293 Cells were stained with purified anti-SARS-COV-2 Spike Neutralizing Rabbit MAb, then a FITC-conjugated second step antibody. The fluorescence histograms were derived from gated events with the forward and side light-scatter characteristics of intact cells.

Manufactured By Sino Biological Inc.

Tel: 215-583-7898 (US); +86-400-890-9989(Global) • <http://www.sinobiological.com>